Case 2:05 RISON HEATA-GS SERVICES: AUTHORIZA 11/14/2005 TER Page 1 of 10

Patient Name:	Wright, Richard	Inmate Number:	187140WR
Service Authorized:	Office Visits: Outpatient Optometry Referral	Effective Dates:	02/28/2005
Effective:	Visits authorized for 60 days from effective date.	Visits Authorized:	1
Responsible Facility:	Bullock Correctional Facility	Contact Name:	Michelle Pope
Authorization Number:	14741367	Telephone Number:	(334)395-5973 Ext 14

Note to Provider of Services:

- Medicare/Medicaid do not cover any health services provided to an inmate in custody, except in certain circumstances not applicable to this inmate.
- Authorization is diagnosis and procedure specific. Any additional tests, procedures, and inpatient or outpatient services must receive prior authorization to ensure benefit eligibility and payment. (Use above contact name and telephone number)
- Authorization for payment of service is guaranteed only if service is provided during the actual time of confinement to the referring correctional facility.
- HIPAA: Please be advised Prison Health Services, Inc. ("PHS") is not a covered entity under HIPAA's Rule on the Privacy of
 Individually Identifiable Health Information Standard ("Privacy Rule"). Because PHS does not engage in electronic transactions
 under HIPAA's Electronic Transactions and Code Set Standards ("Transaction Standards"), HIPAA's Privacy Rule does not
 apply to PHS.

The consulting physician should complete this section.

The completed form will be sealed in the attached envelope and

• Payment will not be processed until we receive a clinical summary.

For Payment Please Submit Claims To:

Prison Health Services P.O. Box 967 Brentwood, TN 37024-0967



Clinical Summary or Attached Report

Clinical Summary or Attached Report

*** For security and safety, please do not inform patient of possible follow-up appointments. ***

Signature of Consulting Physician:

Date

Time

Reviewed and Signed By
sdical Director:

Date

Time

Dr. Bradford 2-1805 02/25/05 FRI 18:07 FAX 20594: 37 KINKOS HOMEWOOD 02/22/2005 TUK 13:58 FAX 334 . 3 8755 BULLUUK UUKKKUTIVNAL FAV

4 153 2 vvvi vvi

	Forms must be Complete and Legitie, You n Flower word, file form with the Authorization Letter in the condication.	east Type or Print
	Please scardiffic form with the Anthonics on Letter to the certific DeMockaPfiles Site Hamper Humber: Bullock 832 Whight Richa Bullock 832 Whight Richard Bullock 833 Whight Richard Bullock 832 Whight Richard Bullock 832 Whight Richard Bullock 833 Whight Richard Bullock 833 Whight Richard Bullock 832 Whight Richard Bullock 833 Whight Richard Bullock 832 Whight Richard Bullock 833 Whight Richard Bullock 833 Whight Richard Bullock 834 Whight Richard Bullock 834 Whight Richard Bullock 835 Whight Richard Bullock 835 Whight Richard Bullock 835 Whight Richard Bullock 835 Whight Richard Bullock 837 Whight Richard Bullock	Date: Immiddly of Date: Immiddl
	Responsible party: Street Canada Canada Haranda Harand	Kanggi Dec Verroles place) (Medialog
	Service controlled for "approved by protectal" Princip a chirck smark (*) he the Service Type requested (once early) and complete additional applicable fields.	lumete C. Por Vissen
	Indian Date of Barylan (annidaty)	CONFIDENTIAL RECORD MOT TO BE PHOTO COPIES Fortous treatment and response factoring medications;
The dispusse of the last of th	Tou must became copies of portioned reports such as lab results.	Masss
	Positive Description Positive Description Positive Description	boszinje togowietb abboligateurza
	Regional McGcat Director Signature, priceded passes and date required: Will Mosier MD Do and write below this like of Case M Contract Out of Case M And Class Out of Case M Out of	Integral and Cooperate Dela Edry Dilly. 201. 2741367

Please send this form with the	e Authorization Letter to the	service provider at	the time of the Appointment Page 2 of	10
0000 2:00 00 00 100 11:11	DEMOGRAPH			\mathbf{J}°
Site Name & Humber:	utient Name: (Last, First,)		D. (mm/dd/yy)	
Bullack 832	Wright Ric	hard	Da 118 105	
	lias: (Last, First,)		Date of Birth: (mm/dd/yy)	1 1
(334) 738.5625			08,15,67] "
	nmate #		PHS Custody Date: [mm/dd/yy)	7 1
(334) 738 - 8763	187140			
Will there be a charge? Sex	SS Number		Potential Release Date: (mm/dd/yy)	-1
Pres No Phale Female			10123120	
Responsible party:	Health lins.(Excludes Medicare/N		ternative plans)	
Ado Ins.	Other, be specific (Encludes Nec			
Requesting Provider: Deposition	CLINICAL	DATA		
Requesting Florides. [LPP) 9030	□ NP, PA □ Dontal	History of Masseli	njury/sygmitoms with Date of Onset:	
		District the terminal and		
Facility Medical Director/Signaure and Dat	<u>e:</u>	un	ufe C	11
Jou :	4 22/01	Por	refe c.	
Sorvice mosts criticals for "approval vist protocol"		1		- 11 .
Place a check mark () in the Service T<br and complete additional app			`.	
Office Visit (OV) X-ray (OR)	Scheduled Admission (SA)	Results of a com-	plaint directed physical examination:	
Outpatient Surgery (OS) Dialysis (DA)		1		
Routine	Urgent	1 /	Visa	
		177		. 11
Estimated Date of Service (mm/dd/yy)				e chilly
(This starts the approval window for the "	open authorization period")		HOR PROPERSIONAL US	
Multiple Visits/Treatments:	Radiation therapy		MAKEDEN HAL DI	ECHILL
Number of Visits/Treatments:	Chemotherapy	"	NOT TO SE PHOTO O	OP SET
		Previous treatm	nent and response (including medications):	
Specialist referred to: Dr. Br	ractiond		a	
Type of Consultation, Treatment, Proce	edure or Surgery:	11 /	Masss	11
Cale ax	de per sprem la la companya de la co	1 1 (11
Refe exam	•	1.		11'
		11		11
		11		
You must include copies of pertinent			urity and safety, please do not inform pa	fient of
- x-ray interpretations and specialty co	•	To see	possible follow-up appointments***	
UM DETERMINATION:	Offsike Service Recommend	led and Authorized		
Atternative Treatment Plan (coptain here):				
				11
☐ Hore Information Requested: (See Attache	Dalo resubmitted			
Resubmitted with requested information.				
Regional Medical Director Signature	3			11
printed name and date required:				
	o not write below this line. For C	ace Manager and Co	rocrate Data Entry ONLY.	(mar/st/yy
Cert Type:	Mod Class:		UR Auth #:	11

INSTITUTIONAL EYE CATE

-P.O. L 390 Lewisburg, PA 17837

(570) 522 493 FAX (570) 524-2817

PATIE	NT A	1		DATE		
NUMB	ER	1 Wial 87146	NT.	INSTITUTION		es at property of the second o
	SPHERE	CYLINDER	AXIS	PRISM	BASE	
OD	-7,	-50	130			
os	-100	-50	60	N		
	ADD	HEIGHT	DIST PD	NEAR PD	SEG STYLE	
С			1	,		
OS			68			
LENS	COLOR/COATING:	S			7.	
FRAM	PICK	STYLE		FRAME COLOR		
EYE SI		GE TE	MPLE	HEAT	СНЕМ	
DATE	REC'D	DR DR	OP BALL 7/	FINAL INSPECTIO		ACM PROPERSIONAL OF
			LENSES:		_ 12' 1/14'	MOTTO BE PHOTO O
			FRAME:		1/15 Ear	We to be motive
			OVERSIZI	E:		
			TINT/PGX	X:		
			СНЕМ. ТІ	EMP. GLASS:		
			DIOPTER	S:		
						· ·
			S/H:		- i Dillink	
			TOTAL D	OUE (\$):	14.70	

VISION SAFETY NOTICE:

VISION SAFETY NOTICE:

• Your lenses meet or exceed American National Standard Z80.1 and FDA requirement 21 CFR Sec 801,410 for impact resistance but are not unbreakable or shatterproof. Of all the materials that lenses can be made from polycarbonate is the most impact resistant.

• If struck with sufficient force, the lenses can break into sharp pieces that can cause serious injury to the eye, or blindness. Even if the lenses do not break, the force of impact may cause the lenses or spectacle frame to contact the eye or surrounding area causing injury.

<sup>The continued impact resistance of your lenses depends on how well you protect them from physical shocks and abuse. For your own protection, scratched or pitted lenses should be replaced immediately.

If your occupational or recreational activities expose you to the risk of flying objects or physical impacts, your eye safety requires special safety spectacles with safety lenses, side shields, goggles and/or a full face shield.</sup>

	INS	ITUTIO	NAL E	YE C A?	E
**************************************	Lewisburg, 1			(570) 52_A FAX (570) 524-	93
PATIE	V		· · · · · · · · · · · · · · · · · · ·	DATE	
	Prillere	W bulky	τ 1		
NUMB ◆	ER	7140		INSTITUTION	
	SPHERE	CYLINDER	AXIS ,	PRISM	BASE
OD	+75	550	130		
OS	-100	+50	60		
	ADD -	HEIGHT	JDÍST PD	. NEAR PD	- SEG STYLE
لت			7		
OS	a jan angaran		02		
LENS (COLOR/COA TINGS	Samuel Control	* * * * * * * * * * * * * * * * * * * *		
FRAMI		STYLE	***	FRAME COLOR	
rum ar	HICK				1
F-EYE SI		E TEM	PLE	HEAT	СНЕМ
DATE I	SEC,D	DRO	P BALL	FINAL INSPECTIO	N
			LENSES:		
			FRAME:		<u> 1. b</u>
			OVERSIZE:		
		Market II.	TINT/PGX:	# 1	
		The state of the s	CHEM. TEN	IP. GLASS:	
V			DIOPTERS:	<u> </u>	
				J	INV.
			S/H:		- Hunk
			TOTAL DU	JE (\$).	
 Your len requiremen shatterproo 	FETY NOTICE: ses meet or exceed American t 21 CFR Sec 801,410 for impact t. Of all the materials that lenses	National Standard Z80.1 and tresistance but are not unbreaka can be made from polycarbonate	is the lenses should be re	pact resistance of your lenses de I shocks and abuse. For your owi placed immediately.	1 生力の数 優が別と
 serious inju 	ith sufficient force, the lenses can by to the eye, or blindness. Even a cause the lenses or spectacle fi	if the lenses do not break, the fo	cause or physical impact orce of fenses, side shields	nal recreational activities expose s, your eye safety requires speci- s, goggles and/or a full face shield.	e you to the risk of flying objects. al safety spectacles with safety

EYE EXAMINATION SHEET

TO: (Service Physician)	FROM: (Requesting Ward, Med. Fac. Phys.)	Date of Reguest:
DR. Brackford	Bullock	5/31/99
Reason For Request: (Complaints and Finding)		
	It he call is low	1)01 -
l l	enable or See things frea	,
,		0
Past History Keclined State	to glassos 3 paras ago	
Old Rx Signature		
	Type of Consult	☐ Emergency ☐ Routine
	CONCILITATION PERCENT	1
,	CONSULTATION REPORT	1090 4d/wnL
Subjective: OS 21/40 20/70	орнтн:	0090 901 WN
Subjective: OS	9	0 /0 / / 10.12
20/10		,
New Rx: OD Seg. Ht.	Ext: Date Disper	nsed & Initials:
	_	/
Seg. Type:	/ 076 AM. 13	$\alpha / \alpha = 1$
256		
IDP & Time:	- 076 -050 × 13	
The arime.		1 65
		,
Frame: Size:		, / /
Color:	うく しゅうしゅ しゅうしゅう しゅう	4/18/12/5
	3	1110/172
14/14	/	1 /
' ' ' /	∠	R PROPERTY.
	Z) COM	R PROPEGEIONAL USE CHE
1 Star		THINK READ
130 74	114 T	OT TO BE PHOTO COPIED
$\mathcal{N}^{N} \mathcal{N}^{N} \mathcal{N}^{N}$	1 1 4 1) COPPED
[OPTOMETRIST'S	SIGNATURE
· · · · · · · · · · · · · · · · · · ·	,	
Patients Last Name	First Middle Age	R/S IDNo.
Wright	Bichard B/	1132 101140
F-65 Rev. (1-95)	7	•

C)CC In P.O. Bo Lewisburg,		nal F	EYE C_ F (717) 523-3 FAX (717) 52	RE 3493 4-2817
PATIE	NT WANT	Richard		DATE	
NUMB	ER	187140		INSTITUTIO	Hanton A
	SPHERE	CYLINDER	AXIS	PRISM	BASE
OD	-16	-25	155		
os	- 50	-50	33		
	ADD	HEIGHT	DIST PD	NEAR PD	SEG STYLE
OD			68		
<u> </u>			00		
LENS (COLOR/COATING	S	L		
FRAMI	E NIIV	STYLE		FRAME COLOR	
EYE SI	ZE DY BRIDG	GE TEM	PLE	HEAT	СНЕМ
DATE I	REC'D	DRO	P BALL	FINAL INSPECTI	ON
i) P	ı		LENSES:	(Ub.
			FRAME:		3,119
			OVERSIZ	E:	
1			TINT/PG	X:	
			СНЕМ. Т	EMP. GLASS:	
			DIOPTER	S:	
				- 	
: - \ \\			S/H:		119 yran
1/0			TOTAL I	DUE (\$):	<u> </u>

CONFIDENTIAL RECORD MOT TO BE PHOTO COPIED

**ASAFETY NOTICE:

* Your lenses meet or exceed American National Standard Z80.1 and FDA requirement 21 CFR Sec 801,410 for impact resistance but are not unbreakable or shatterproof. Of all the materials that lenses can be made from polycarbonate is the most impact resistant.

* The continued impact resistance of your lenses depends on how well you protect them from physical shocks and abuse. For your own protection, scratched or pitted lenses standard resistant.

* If your occupational or recreational activities expose you to the risk of flying objects or physical impacts, your eye safety requires special safety spectacies with safety lenses, side shields, goggles and/or a full face shield. If struck with sufficient force, the lenses can break into sharp pieces that can cause serious injury to the eye, or blindness. Even if the lenses do not break, the force of impact may cause the lenses or spectacle frame to contact the eye or surrounding area causing injury.

EYE EXAMINATION SHEET

TO: (Service Physician)	FROM: (Requesting Ward, Med. Fac. Phys.)	Date of Request:
Bradford	Diapes Con, Center	8/15/96
Reason For Request: (Complaints and Finding)		
	. /	
	MA NOSP	
	1/A/NOS!	
Past History		
Old Rx		
Signature	Type of Consult ☐ Emergency ☐	Routine
	Type of exclusion in Emiliagency	
	CONSULTATION REPORT	
Subjective: $\frac{OD - \frac{20}{40}}{OS - \frac{20}{30}} = \frac{\sqrt{50}}{5} = \frac{\sqrt{50}}$	(35) OPHTH: 406	\mathcal{A}
Subjective. US = 45/30		
075-025	(35)	1 sha
	Yn	
Nove By: OB 050	9 33 / Ext:	
OS Seg. Ht.	Date Dispensed & Initials:	
	68	
Seg. Type:		
	54/18/145	
IDP & Time:	541181145	
IDF & Time.		
	,	
Frame:		
Size: Color:	FOR PROPE	SEKONAL LINE CALL
	CONFIDE	MAL RECO
	MOTTOR	TO MEUCH
	The state of the s	- LUNIO COLINE
	* **	
	A - C	
	\sim	
	OPTOMETRIST'S SIGNATURE	
Patients Last Name Fire	st , Middle Age R/S	I D No.
Wright K	ichard 29	180100
-65 Rev. (1-95)	unara	10/170
-00 ICEN. (1-30)		

MT. MEIGS, AL 36057

Page 9 oxation name

PRISON ID

DATE SUBMITTED

FOR PROFESSIONAL USE ONLY CONFIDENTIAL RECORD NOT TO BE PHOTO COPED

			•		
					VCF 18
TEST NAME	RESULT		REFERENCE RANGE		COMMENTS
		1			
HIV ANTIBODY	NR		NEGATIVE (NEG)		
RPR	NR	\parallel	NON-REACTIVE (NR)	+	
·					
URINALYSIS		\prod			
APPEARANCE			, ·		
pH		11	pH 5- pH 6		
PROTEIN		Щ	NEGATIVE (NEG)		
GLUCOSE			NEGATIVE (NEG)		
KETONES			NEGATIVE (NEG)		
BIURUBIN			NEGATIVE (NEG)	1	
BLOOD			< 5 RBC/MCL	1	
NITRITE			NEGATIVE (NEG)		
UROBILINOGEN			< 1.0 MG/DL		
LEUK. ESTERASE			NEGATIVE (NEG)		
SPECIFIC GRAVITY			1.016-1.022		

[&]quot;A" These results are unreliable due to the age of the specimen.

[&]quot;A+H" These results are unreliable due to the age and hemolyzed condition of the specimen.



[&]quot;H" These results are unreliable due to the hemolyzed condition of the specimen.

Case 2:05-cv-00439-WHA-CSC Document 73-29 04/26/2005 6:54:02 S Filed 11/14/2005 Page 10 of 10 Wright, Richard SINUS BRADYCARDIA 187140 NO OTHER FINDING ID: D.O.B.: 08/15/1967 37 YEARS Vent. Rate: 59 bpm Summary: NORMAL ECG EXCEPT FOR RATE * Unconfirmed Analysis * MALE RR Interval: 1004 ms Meds: PR Interval: 182 ms QRS Duration: Class: 90 ms Rayapati QT Interval: Dr: 424 ms LMC QTc Interval: Tech: 423 ms QT Dispersion: 58 ms P-R-T AXIS: 66. 68° 38* Comment: AYP V: äVL ¥2 ~CTAB-09-408 = A C 20010 amm d m Vacano As PULL PROPERTY OF THE PARTY OF T